

AN IAS VIRTUAL CONFERENCE 10 - 11 JULY 2020

Pivoting the Covid-19 Prevention Paradigm: From Anxiety to Self-efficacy

Salim S. Abdool Karim, FRS

Chair: Ministerial Advisory Group on Covid-19

Member: Africa Task Force for Coronavirus

Director: CAPRISA - Centre for the AIDS Program of Research in South Africa

CAPRISA Professor in Global Health: Columbia University

Adjunct Professor of Immunology and Infectious Diseases: Harvard University

Adjunct Professor of Medicine: Cornell University

Pro Vice-Chancellor (Research): University of KwaZulu-Natal






Disclosure slide


I do not have a conflict of interest to report





How it began: Origins of SARS-CoV-2










Sources: Rabi FA. Pathogens 2020 & Wallis AC, et al. Cell 2020; Clerkin KJ, et al.

Circulation 2020



- **Bats original host**
- ? Pangolins in Wuhan market intermediate host

market

Spike protein with high affinity for the ACE2 receptor





The Covid-19 pandemic

30 Dec 2019




Published Date: 2019-12-30 23:59:00

Subject: PRO/AH/EDR> Undiagnosed pneumonia - China (HU): RFI

Archive Number: 20191230.6864153

Possible first infected person: a Hubei resident aged 55 on 17 Nov 2019





Countries reporting cases: 188

Total confirmed cases: >10 million

Source: European CDC - Situation Update Worldwide - Data last updated 1st Jul. 11:33 (GMT+02:00), European CDC - Situation Update CC BY


Deaths: >500,000




1. Person-to-person contact and droplets

Virus from the respiratory tract goes into the air and onto nearby people when an infected person talks, coughs, sneezes or simply exhales







South Korean call centre - 13 workstations per table



9/13 employees tested positive on one desk



79/137 employees (58%) tested positive. Prolonged close contact played a crucial role






2. Infected droplets contaminating surfaces

Ī


Hours



Aerosol and Surface Stability of SARS-CoV-2 as Compared with SARS-CoV-1 van Doremalen N et al.



Hours





Air. Surface Environmental, and Personal Protective **Equipment Contamination by Severe Acute** Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) From a Symptomatic Patient





Sites	+ve samples
Bed rail	1/1
Chair	1/1
Light switches behind bed	1/1
Stethoscope	1/1
Air outlet fan	2/3
Door handle	1/1
Toilet bowl surface	1/1






3a. Airborne transmission

Particles < 5µm may remain in the air for long periods. Role of airborne transmission not settled






Aerosol and Surface Stability of SARS-CoV-2 as Compared with SARS-CoV-1 van Doremalen N et al.



Aerosol and Surface Transmission Potential of SARS-CoV-2


Authors: Joshua L. Santarpia^{1,2*}, Danielle N. Rivera², Vicki L. Herrera¹, M. Jane Morwitzer¹, Hannah M. Creager ¹, George W. Santarpia¹, Kevin K. Crown², David M. Brett-Major¹, Elizabeth R. Schnaubelt^{1,3}, M. Jana Broadhurst¹, James V. Lawler^{1,2}, St. Patrick Reid¹, and John J. Lowe^{1,2}







3b. Airborne transmission



Person at table A arrived from Wuhan the day before

9 people tested positive, some were >1m away from patient 0

Air conditioning seems to have played a crucial role, as air was recirculated continuously between the 3 tables






We are still learning how the virus spreads or doesn't spread...







The coronavirus prevention toolbox...






1 March









1 April


86 countries on national or sub national lockdown Stay-at-home restrictions during 1 April Covid-19 pandemic







1 May











1 June











1 July













Slowing viral transmission with the lockdown in South Africa



Limitation: Cases identified are underestimates. Almost all metrics to measure the epidemic growth, e.g., R₀, Rt, doubling time, depend on case identification and therefore on testing



Slowing viral transmission with the lockdown in South Africa





Transitioning from anxiety to self-efficacy

Stay-at-home orders / Lockdown











Anxiety



Agency



Action



Collective Action

power over all



Individuals power within



Motivated individuals power for preventive action



Motivated communities power for collective action

Ubuntu "I am, because you are"





Conclusion

- Effective prevention address all three modes of transmission
- Prevention toolbox is well-stocked, but it needs a vaccine we are learning more about this coronavirus each day
- Lockdowns can slow viral transmission and even achieve temporary containment – but are not sustainable for long periods
- As we shift from restrictions to living with the virus, we need to pivot our prevention paradigm from anxiety to self-efficacy
- Societies embracing community and individual interdependence are well placed to successfully pivot with the concept of "Ubuntu"



